

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	"5522075".pn. and flag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 16:14
L3	0	mod\$3 with shadow near2 interrupt adj flag and @ad<"20001227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 16:32
L4	0	shadow near2 interrupt adj flag and @ad<"20001227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 16:32
L5	20083349	shadow adj flag @ad<"20001227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 16:36
L6	20	shadow adj flag and @ad<"20001227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 16:37
L7	0	shadow adj flag same interrupt adj flag and @ad<"20001227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 16:37
L8	0	shadow adj register same interrupt adj register and @ad<"20001227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 16:37
L9	1	shadow adj interrupt adj register and @ad<"20001227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 18:17

L10	3133	713/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 18:17
L11	133	L10 and @ad<"20001227" and @pd>"20041005"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 18:17
L12	57	L11 and @ad<"20001227" and @pd>"20050317"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 18:17
S1	300	((virtual adj machine adj monitor) or vmm) and processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/05 12:07
S2	200	S1 and @ad<"20010101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/06 09:50
S3	300	((virtual adj machine adj monitor) or vmm) and processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/06 13:15
S4	200	S3 and @ad<"20010101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/05 16:20
S6	16	S4 and guest	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/05 16:21

S7	1094	v32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/06 13:16
S8	56	S7 and processor and interrupt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/06 13:16
S9	2527	713/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/06 13:57
S10	2	"5511217".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/06 14:12
S11	2	"5386552".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/06 14:12
S12	1	"6795966".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/07 09:13
S13	0	S12 and guest	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/06 14:51
S14	1	S12 and operating adj system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/06 16:57

S15	2	"6496847".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/07 10:47
S16	6	redirection adj bitmap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/07 09:01
S17	23641	(address adj space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/07 09:03
S18	17201	S17 @ad<"20010101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/07 09:05
S19	11044	S18 and transfer\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/07 09:07
S20	8694	S19 and processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/07 09:08
S21	77	S20 and vmm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/07 09:10
S22	1	"6795966".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/07 09:13

S23	1	S22 and address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/07 09:15
S24	1	S22 and processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/07 09:34
S25	1	S22 and register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/07 09:36
S26	8	operation and guest and software and virtual and monitor.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/07 10:09
S27	340	modif\$4 and guest and interrupt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/07 10:11
S28	213	S27 @ad<"20010101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/07 10:11
S29	148	S28 and (flag or register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/07 10:13
S30	132	S29 and (operating adj system or software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/07 10:22

S31	5	modif\$4 and guest and interrupt adj flag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/07 10:23
S32	6	interrupt adj flag and guest and (software or operating adj system or os)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/07 13:18
S33	0	shadow adj interrupt adj flag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/07 10:56
S34	96	shadow and interrupt adj flag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/07 10:56
S35	0	L19@ad<"20010101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/07 10:57
S36	87	S34 and @ad<"20010101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/07 11:21
S37	1	"6785886".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/07 11:21
S38	1	S37 and flag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/07 12:29

S39	13513	bitmap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/07 12:30
S40	1688	S39 and interrupt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/07 12:31
S41	988	S40 and @ad<"20010101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/07 12:31
S42	839	S41 and processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/07 12:32
S43	8	S42 and guest	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/07 12:35
S44	439	S42 and virtual	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/07 12:35
S45	5	S42 and vmm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/07 12:36
S46	1253	interrupt adj flag and @ad<"20010101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/07 15:55

S47	346	S46 and (interrupt\$3 near mask\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/07 13:05
S48	10	S46 and (control\$4 near interrupt\$3 near mask\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/07 13:05
S49	0	CPL near (guest adj software or guest adj os) near modif\$3 and @ad<"20010101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/07 14:09
S50	0	(CPL near guest near modif\$3) and @ad<"20010101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/07 14:09
S51	0	(CPL and guest near modif\$3) and @ad<"20010101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/07 14:10
S52	4	(CPL and guest) and @ad<"20010101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/07 14:10
S53	4	((CPL or IF) and guest) and @ad<"20010101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/07 14:11
S54	134	(interrupt and flag and guest) and @ad<"20010101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/07 14:11



S55	81	"5386552", "5511217", "6496847", "6795966".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/07 14:30
S56	0	S55 and (guest near interrupt)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/07 14:31
S57	0	S55 and (guest same interrupt)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/07 14:31
S58	2	S55 and (guest and interrupt)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/07 14:31
S59	1253	interrupt adj flag and @ad<"20010101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/07 15:55
S60	4	S59 and guest and (software or operating adj system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/12 08:17
S61	1	guest and manipulate and interrupt adj flag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/12 08:13
S62	1253	interrupt adj flag and @ad<"20010101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/12 08:17

S63	4	S62 and guest	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/12 09:17
S64	0	pvi and shadow and interrupt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/12 09:17
S65	87	shadow and interrupt adj flag and @ad<"20010101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/12 09:18
S66	0	shadow near interrupt adj flag and @ad<"20010101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/12 09:19
S67	4	shadow same interrupt adj flag and @ad<"20010101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/12 09:19
S68	2	"5437033".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/12 17:04
S69	2	"5437033".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 16:46
S70	2	"5522075".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 17:04

S71	2	"5088031".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 17:05
S72	2888	713/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 13:10
S73	75	S72 and @ad<"20001227" and @pd>"20041005"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 13:11
S74	4	S73 and virtual adj machine\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 13:11
S75	56	modif\$3 near2 interrupt adj flag and @ad<"20001227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/30 12:17
S76	0	modif\$3 near2 interrupt adj flag with attempt\$3 and @ad<"20001227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/30 12:17
S77	0	modif\$3 near2 interrupt adj flag same mask\$3 with interrupt\$2 and @ad<"20001227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/30 12:18
S78	0	(modif\$3 or chang\$3 or alter\$3) near2 interrupt adj flag same mask\$3 with interrupt\$2 and @ad<"20001227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/30 12:18

S79	4	(modif\$3 or chang\$3 or alter\$3) near2 flag same mask\$3 with interrupt\$2 and @ad<"20001227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/30 12:20
S80	101	(modif\$3 or chang\$3 or alter\$3) near2 (flag or bit or register) same mask\$3 with interrupt\$2 and @ad<"20001227" not S79	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/30 12:21
S81	37	(modif\$3 or chang\$3 or alter\$3) near2 (flag or bit or register) with interrupt same mask\$3 with interrupt\$2 and @ad<"20001227" not S79	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/30 13:17
S82	6	(attempt\$3 or try\$3 or trie\$2) near2 (modif\$3 or chang\$3 or alter\$3) near2 (flag or bit or register) with interrupt and @ad<"20001227" not S79	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/30 13:52
S83	58	shadow\$3 near2 flag and @ad<"20001227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/30 13:53
S84	84	shadow\$3 near2 (flag or bit or register) same (modif\$3 or alter\$3 or chang\$3) near3 (flag or bit or register) and @ad<"20001227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/30 14:00
S85	0	shadow\$3 near2 (flag or bit or register) same (modif\$3 or alter\$3 or chang\$3) near3 (flag or bit or register) with (attempt\$3 or restrict\$2 or try\$3 or trie\$2) and @ad<"20001227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/30 13:55
S86	17	shadow\$3 near2 (flag or bit or register) with (attempt\$3 or try\$3 or trie\$2) and @ad<"20001227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/30 14:51

S87	205	shadow\$3 near2 (flag or bit or register) same (attempt\$3 or try\$3 or trie\$2 or redirect\$3 or transfer\$4) and @ad<"20001227" not gallup.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/30 14:09
S88	129	shadow\$3 near2 (flag or bit or register) with (attempt\$3 or try\$3 or trie\$2 or redirect\$3 or transfer\$4) and @ad<"20001227" not gallup.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/30 14:02
S89	14	shadow\$3 near2 (flag or bit or register) same (attempt\$3 or try\$3 or trie\$2) and @ad<"20001227" not gallup.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/30 14:15
S90	3	(attempt\$3 or try\$3 or trie\$2) near2 (access\$3 or modif\$4 or manipul\$3 or chang\$3 or alter\$3 or \$2set) near3 (flag or bit or register) with instead and @ad<"20001227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/30 14:16
S91	25	virtual near2 (flag or bit or register) with (attempt\$3 or try\$3 or trie\$2) and @ad<"20001227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/30 14:52
S92	6	(virtual near2 flag or vif) with (attempt\$3 or try\$3 or trie\$2) and @ad<"20001227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/30 14:53
S93	11	(virtual near2 flag or vif or shadow near2 flag) with instead and @ad<"20001227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/30 14:54
S94	4	(virtual near2 flag or vif or shadow near2 flag) same (STI or CLI) and @ad<"20001227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/30 15:04

S95	50	(virtual near2 flag or vif or shadow near2 flag) with mode and @ad<"20001227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/30 15:06
S96	26	(virtual near2 flag or vif or shadow near2 flag) with mode and flag and @ad<"20001227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/30 15:06
S97	2	"5522075".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 16:01
S98	12	("5522075").URPN.	USPAT	OR	OFF	2005/06/30 16:05
S99	9	S98 and @ad<"20001227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 16:08
S100	3	S99 and shadow\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 16:06
S101	8	S99 and (flag or register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 16:13
S102	647	shadow\$3 near (flag or register) and @ad<"20001227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 16:13
S103	63	shadow\$3 near (flag or register) with mode and @ad<"20001227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 16:29

S10 4	22	shadow\$3 near (flag or register) with mode same (modif\$3 or alter\$3 or chang\$3 or set\$2) with (flag or register) and @ad<"20001227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 16:24
S10 5	2	"5237669".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 16:25
S10 6	2	"5974440".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 16:26
S10 7	0	S106 and shadow	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 16:26
S10 8	16	shadow\$3 near (flag or register) same (switch\$2 or chang\$3 or alter\$3 or vmm or exit\$3 or transfer\$3) near2 mode and @ad<"20001227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 17:13
S10 9	68	shadow\$3 near (flag or register) with determin\$3 and @ad<"20001227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 17:13
S11 0	15	determin\$3 near2 shadow\$3 near (flag or register) and @ad<"20001227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 17:14
S11 1	19	fak\$3 near (flag or register) and @ad<"20001227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 17:14

S11 2	0	fak\$3 near (flag or register) with mode and @ad<"20001227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 17:14
S11 3	30	shadow adj (flag or register or bit) near2 (modif\$3 or alter\$3 or chang\$3) and @ad<"20001227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 17:04
S11 4	20	shadow adj (flag or register or bit) same ((tranfer\$4 or switch\$3 or chang\$3 or exit\$3) with (mode\$2 or vmm or virtual adj machine)) and @ad<"20001227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 17:03
S11 5	5	virtual adj (flag or register or bit) same ((tranfer\$4 or switch\$3 or chang\$3 or exit\$3) with (mode\$2 or vmm or virtual adj machine)) and @ad<"20001227" not S114	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 17:03
S11 6	21	virtual adj (flag or register or bit) near2 (modif\$3 or alter\$3 or chang\$3) and @ad<"20001227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 17:10
S11 7	89	shadow adj (flag or register or bit) with (determin\$3 or check\$3 or instead) and @ad<"20001227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 17:10
S11 8	46	shadow adj (flag\$2 or register or bit) near3 (determin\$3 or check\$3 or instead) and @ad<"20001227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 17:10